

Mechanisms of Development 62 (1997) 233-234



Volume contents

Volume 63 (1997)

Issue contents	1	E. Bellefroid, T. Bouwmeester, O. Rausch, B. Blumberg, T. Pieler	
Winner of the MOD Young Investigator Award	3	Transcription regulation and alternative splicing of an early zygotic gene encoding two structurally distinct	
P.S. Knoepfler, M.P. Kamps The Pbx family of proteins is strongly upregulated by a		zinc finger proteins in <i>Xenopus laevis</i>	99
post-transcriptional mechanism during retinoic acid- induced differentiation of P19 embryonal carcinoma cells	5	T. Mayr, U. Deutsch, M. Kühl, H.C.A. Drexler, F. Lottspeich, R. Deutzmann, D. Wedlich, W. Risau Fritz: a secreted frizzled-related protein that inhibits Wnt activity	109
L. Sumoy, J. Bennett Keasey, T.D. Dittman, D. Kimelman		Short communication	
A role for notochord in axial vascular development revealed by analysis of phenotype and the expression of VEGR-2 in zebrafish <i>flh</i> and <i>ntl</i> mutant embryos	15	S.D. Dimitratos, D.F. Woods, P.J. Bryant Camguk, Lin-2, and CASK: novel membrane-associated guanylate kinase homologs that also contain CaM	
S.A. Wood, W.S. Pascoe, K.L. Ru, T. Yamada,		kinase domains	127
J. Hirchenhain, R. Kemler, J.S. Mattick		Issue contents	131
Cloning and expression analysis of a novel mouse gene with sequence similarity to the <i>Drosophila fat facets</i> gene	29	S.M.L. Barabino, F. Spada, F. Cotelli, E. Boncinelli Inactivation of the zebrafish homologue of <i>Chx10</i> by antisense oligonucleotides causes eye malformations	
A. Fainsod, K. Deißler, R. Yelin, K. Marom, M. Epstein, G. Pillemer, H. Steinbeisser, M. Blum		similar to the ocular retardation phenotype	133
The dorsalizing and neural inducing gene <i>follistatin</i> is an antagonist of <i>BMP-4</i>	39	L.P. Keegan, T.E. Haerry, D.A. Crotty, A.I. Packer, D.J. Wolgemuth, W.J. Gehring	
I. Flamme, T. Fröhlich, Marie von Reutern, A. Kappel, A. Damert, W. Risau HRF, a putative basic helix-loop-helix-PAS-domain		A sequence conserved in vertebrate <i>Hox</i> gene introns functions as an enhancer regulated by posterior homeotic genes in <i>Drosophila</i> imaginal discs	145
transcription factor is closely related to hypoxia-inducible factor- 1α and developmentally expressed in blood vessels	51	P. Dornseifer, C. Takke, J. Campos-Ortega Overexpression of a zebrafish homologue of the <i>Droso-phila</i> neurogenic gene <i>Delta</i> perturbs differentiation of	
A.L. Parks, S.S. Huppert, M.A.T. Muskavitch		primary neurons and somite development	159
The dynamics of neurogenic signalling underlying bristle development in <i>Drosophila melanogaster</i>	61	P. Bouillet, V. Sapin, C. Chazaud, N. Messaddeq, D. Décimo, P. Dollé, P. Chambon	
B. Giebel, I. Stüttem, U. Hinz, J.A. Campos-Ortega Lethal of Scute requires overexpression of Daughterless to elicit ectopic neuronal development during embryo-		Developmental expression pattern of Stra6, a retinoic acid-responsive gene encoding a new type of membrane protein	173
genesis in Drosophila	75	C. Benassayag, L. Seroude, M. Boube, M. Erard,	
B. Rogina, S.L. Helfand Spatial and temporal pattern of expression of the wing- less and engrailed genes in the adult antenna is regu-		D.L. Cribbs A homeodomain point mutation of the <i>Drosophila</i> proboscipedia protein provokes eye loss independently of homeotic function	18
lated by age-dependent mechanisms	89		

Y. Landesman, S.Y. SokolAuthor index227Xwnt-2b is a novel axis-inducing Xenopus Wnt, which
is expressed in embryonic brainSubject index229Volume contents233

J.-C. Marine, E.J. Bellefroid, H. Pendeville,

J.A. Martial, T. Pieler

A role for *Xenopus* Gli-type zinc finger proteins in the early embryonic patterning of mesoderm and neuroectoderm

211

